



serie **RADIAMONT**

Art. **710000 - 713000**
STAINLESS STEEL CARBON STEEL



- Valvola a sfera in tre pezzi, a passaggio totale.
- Three piece, full bore ball valve.
- Robinet à boisseau sphérique, trois pièces à passage intégral.
- 3-teiliger Kugelhahn, mit vollem Durchgang.
- Válvula de bola, tres piezas, de paso total.

Limiti di temperatura: -20° +160° - Temperature range: -20° +160°
 Vuoto: 10³ torr. - Vacuum: 10³ torr.



Art.711000 Stainless Steel
 Art. 714000 Carbon Steel
 dal 3/8" - from 3/8"

Art.712000 Stainless Steel
 Art. 715000 Carbon Steel
 dal 3/8" - from 3/8"

GUARNIZIONE SFERA: materiale P.T.F.E VETRO
 BALL SEAT: material P.T.F.E. GLASS

Art.710000-711000-712000

Art. 713000-714000-715000

POS.	DENOMINAZIONE	PART NAME	DESCRIPTION	TEILBENENNUNG	DENOMINACION	MATERIALE - MATERIALS - MATERIAUX - WERKSTOFF - MATERIAL	N°P	
1	CORPO	BODY	CORPS	GEHÄUSE	CUERPO	A351-CF8M	ASTM - WCB	1
2	MANICOTTO	END CONNECTION	MANCHON	MUFFE	TERMINAL	A351-CF8M	ASTM-A105 - WCB	2
3	SFERA	BALL	BILLE	KUGEL	BOLA	A182-F316 / A351-CF8M	A182-F304 / A351-CF8	1
4	GUARNIZIONE SFERA	BALL SEAT	JOINT DE TENUE BILLE	KUGELDICHTUNG	ASIENTO ESFERA	P.T.F.E.	P.T.F.E.	2
5	GUARNIZIONE SEAT	SEAT	JOINT	DICHTUNG	JUNTAS	P.T.F.E.	P.T.F.E.	2
6	RONDELLA ASTA	THRUST WASHER	RONDELLE DE L'AXE	SPINDELSCHEIBE	EMPAQUETADURA	P.T.F.E.	P.T.F.E.	1
7	O-RING	O-RING	O-RING	O-RING	O-RING	FKM (VITON®)	FKM (VITON®)	1
8	GUARNIZIONE ASTA	STEM SEAT	JOINT DE L'AXE	SPINDELDICHTUNG	ASIENTO EJE	P.T.F.E.	P.T.F.E.	1
9	BUSSOLA PREMI-GUARNIZIONE	PACKING GLAND	BAGUE DE PRESSE ETOUPE	VORSPANNRING	MANGUITO PRENSAESTOPAS	INOX AISI 303 (1/4" - 2") CARBON STEEL (2"1/2 - 3" - 4")	CARBON STEEL	1
10	RONDELLA MEZZOGIRO	END STOP	RONDELLE	ANSCHLAGSCHEIBE	ARANDELA MEDIA VUELTA	INOX AISI 430 (1/4" - 2") CARBON STEEL (2"1/2 - 3" - 4")	CARBON STEEL (2"1/2 - 3" - 4")	2-1
11	MOLLA A TAZZA	SPRING WASHER	RESSORT A' DISQUES	TELLERFEDER	MUELLE CONTENEDOR	CARBON STEEL (2"1/2 - 3" - 4")	CARBON STEEL (2"1/2 - 3" - 4")	2
12	DADO	NUT	ECROU	MUTTER	TUERCA	A182-F304 (1/4" - 2") CARBON STEEL (2"1/2 - 3" - 4")	CARBON STEEL	2
13	TIRANTE CORPO	BOLT	TIRANTS	ZUGSTANGE	TIRANTE CUERPO	INOX AISI 304 (1/4" - 2") CARBON STEEL (2"1/2 - 3" - 4")	CARBON STEEL (1/4" - 2") - (2"1/2 - 4")	4-6
14	RONDELLA	WASHER	RONDELLE	UNTERLEGSCHLEIBE	ARANDELA	INOX AISI 304 (1/4" - 2") CARBON STEEL (2"1/2 - 3" - 4")	CARBON STEEL (1/4" - 2") - (2"1/2 - 4")	4-6
15	DADO	NUT	ECROU	MUTTER	TUERCA	INOX AISI 304 (1/4" - 2") CARBON STEEL (2"1/2 - 3" - 4")	CARBON STEEL (1/4" - 2") - (2"1/2 - 4")	4-6
16	ASTA	STEM	TIGE	SPINDEL	EJE	A182 - F316	A182-F304	1
17	LEVA	HANDLE	POIGNÉE	HANDHEBEL	PALANCA	INOX AISI 430 (1/4" - 2") CARBON STEEL (2"1/2 - 3" - 4")	CARBON STEEL	1

MISURA SIZE	DN	710000 - 711000 712000 €	713000 - 714000 715000 €	PZ. CONF PACKAGE	SW	BW	W	X	I	L	Ch	R	P	A	C	T	E	F	N	B	Kv	PN	Kg
1/4"	8	42,00	36,20	10	-	-	-	-	11	57	OT.22	110	50	35	13,5	9	8	5	-	-	5,4	64	0,28
3/8"	10	42,00	36,20	10	18,2	9,5	17,1	12,48	11,4	57	OT.22	110	50	35	13,5	9	8	5	-	-	6	64	0,28
1/2"	15	47,60	37,20	6	22,4	9,5	21,3	15,76	15	65	OT.27	131	64	47	15	10	10	7	36	6	16,3	64	0,40
3/4"	20	61,60	43,40	5	27,7	11,1	26,7	20,96	16,3	76	OT.32	131	68	52	16	10	10	7	42	5,5	29,5	40	0,60
1"	25	81,20	54,20	2	34,5	12,7	33,4	26,64	19,1	92	OT.41	174	79	60	19,5	12,5	12	8	42	6	43	40	1,10
1"1/4	32	107,60	64,00	4	43,2	14,3	42,2	35,08	21,4	106	OT.50	174	83	64	19,5	12,5	12	8	42	5,5	89	25	1,50
1"1/2	40	127,20	86,20	2	49,5	15,9	48,3	40,94	21,4	116	OT.55	250	100	79	24	16,5	16	10	50	6,5	230	25	2,10
2"	50	183,80	130,40	2	62	17,5	60,3	52,48	25,7	136	OT.70	250	107	86	24	16,5	16	10	50	6,5	265	25	3,20
2"1/2	65	404,40	218,00	1	76,5	20	73	62,68	30,2	153	Ø90	321	126	103	28	18	20	14	70	M8	540	16	8,15
3"	80	582,00	306,00	1	89,5	20	88,9	77,92	33,3	180	Ø105	321	137	114	28	18	20	14	70	M8	873	16	12,80
4"	100	985,60	546,00	1	115	20	114,3	102,26	39,3	217	Ø130	381	156	137	34,5	22	24	18	102	M10	1390	16	21,50

serie **RADIAMONT**

Art. **710060 - 710063**
STAINLESS STEEL **CARBON STEEL**




- Valvola a sfera, in tre pezzi, a passaggio totale.
- Threee piece, full bore ball valve.
- Robinet à boisseau sphérique, trois pièces à passage intégral.
- 3-teiliger Kugelhahn, mit vollem Durchgang.
- Válvula de bola, tres piezas, de paso total.

PER VAPORE - FOR STEAM - POUR VAPEUR - FÜR DAMPF - PARA VAPOR

MASSIMA PRESSIONE DI ESERCIZIO 15 bar - MAXIMUM WORKING PRESSURE 15bar

PRESSIONE VAPORE bar STEM PRESSURE IN bar	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
TEMPERATURA VAPORE C° STEM TEMPERATURE IN C°	100	120	133	143	152	158	165	170	175	180	184	188	191	195	198




Art.710060-710061-710062

Art.710063-710064-710065






POS.	DENOMINAZIONE	PART NAME	DESCRIPTION	TEILBENENNUNG	DENOMINACION	MATERIALE - MATERIALS - MATERIAUX - WERKSTOFF - MATERIAL	N°P	
1	CORPO	BODY	CORPS	GEHÄUSE	CUERPO	A351-CF8M	ASTM - WCB	1
2	MANICOTTO	END CONNECTION	MANCHON	MUFFE	TERMINAL	A351-CF8M	ASTM-A105 - WCB	2
3	SFERA	BALL	BILLE	KUGEL	BOLA	A182-F316 / A351-CF8M	A182-F304 / A351-CF8	1
4	GUARNIZIONE SFERA	BALL SEAT	JOINT DE TENUE BILLE	KUGELDICHTUNG	ASIENTO ESFERA	P.T.F.E.+25% CARBOGRAFITE	P.T.F.E.+25% CARBOGRAFITE	2
5	O-RING	O-RING	O-RING	O-RING	O-RING	FKM (VITON®)	FKM (VITON®)	1
6	RONDELLA ASTA	THRUST WASHER	RONDELLE DE L'AXE	SPINDELSCHEIBE	EMPAQUETADURA	P.T.F.E.+25% CARBOGRAFITE	P.T.F.E.+25% CARBOGRAFITE	1
7	O-RING	O-RING	O-RING	O-RING	O-RING	FKM (VITON®)	FKM (VITON®)	1
8	GUARNIZIONE ASTA	STEM SEAT	JOINT DE L'AXE	SPINDELDICHTUNG	ASIENTO EJE	P.T.F.E.+25% CARBOGRAFITE	P.T.F.E.+25% CARBOGRAFITE	1
9	BUSSOLA PREMIGUARNIZIONE	PACKING GLAND	BAGUE DE PRESSE ETOUPE	VORSPANNRING	MANGUITO PRENSAESTOPAS	INOX AISI 303 (1/4" - 2") CARBON STEEL (2"1/2 - 3" - 4")	CARBON STEEL	1
10	RONDELLA MEZZOGIRO	END STOP	RONDELLE	ANSCHLAGSCHEIBE	ARANDELA MEDIA VUELTA	INOX AISI 430 (1/4" - 2") CARBON STEEL (2"1/2 - 3" - 4")	INOX AISI 430 (1/4" - 2") CARBON STEEL (2"1/2 - 3" - 4")	2-1
11	MOLLA A TAZZA	SPRING WASHER	RESSORT A' DISQUES	TELLERFEDER	MUELLE CONTENEDOR	CARBON STEEL (2"1/2 - 3" - 4")	CARBON STEEL (2"1/2 - 3" - 4")	2
12	DADO	NUT	ECROU	MUTTER	TUERCA	A182-F304 (1/4" - 2") CARBON STEEL (2"1/2 - 3" - 4")	CARBON STEEL	2
13	TIRANTE CORPO	BOLT	TIRANTS	ZUGSTANGE	TIRANTE CUERPO	INOX AISI 430 (1/4" - 2") CARBON STEEL (2"1/2 - 3" - 4")	CARBON STEEL (1/4" - 2") - (2"1/2 - 4")	4-6
14	RONDELLA	WASHER	RONDELLE	UNTERLEGSCHIEBE	ARANDELA	INOX AISI 304 (1/4" - 2") CARBON STEEL (2"1/2 - 3" - 4")	CARBON STEEL (1/4" - 2") - (2"1/2 - 4")	4-6
15	DADO	NUT	ECROU	MUTTER	TUERCA	INOX AISI 304 (1/4" - 2") CARBON STEEL (2"1/2 - 3" - 4")	CARBON STEEL (1/4" - 2") - (2"1/2 - 4")	4-6
16	ASTA	STEM	TIGE	SPINDEL	EJE	A182 - F316	A182-F304	1
17	LEVA	HANDLE	POIGNÉE	HANDHEBEL	PALANCA	INOX AISI 430 (1/4" - 2") CARBON STEEL (2"1/2 - 3" - 4")	CARBON STEEL	1

MISURA SIZE	DN	710060 - 710061 710062 €	710063 - 710064 710065 €	PZ. CONF PACKAGE	SW	BW	W	X	I2	L	Ch	R	P	A	C	T	E	F	N	B	Kv	PN	Kg
1/4"	8	51,00	45,40	10	-	-	-	-	11	57	OT.22	110	50	35	13,5	9	8	5	-	-	5,4	15	0,28
3/8"	10	51,00	45,40	10	18,2	9,5	17,1	12,48	11,4	57	OT.22	110	50	35	13,5	9	8	5	-	-	6	15	0,28
1/2"	15	58,40	46,40	6	22,4	9,5	21,3	15,76	15	65	OT.27	131	64	47	15	10	10	7	36	6	16,3	15	0,40
3/4"	20	70,60	52,20	5	27,7	11,1	26,7	20,96	16,3	76	OT.32	131	68	52	16	10	10	7	42	5,5	29,5	15	0,60
1"	25	94,20	67,00	2	34,5	12,7	33,4	26,64	19,1	92	OT.41	174	79	60	19,5	12,5	12	8	42	6	43	15	1,10
1 1/4"	32	122,20	82,00	4	43,2	14,3	42,2	35,08	21,4	106	OT.50	174	83	64	19,5	12,5	12	8	42	5,5	89	15	1,50
1 1/2"	40	146,20	109,20	2	49,5	15,9	48,3	40,94	21,4	116	OT.55	250	100	79	24	16,5	16	10	50	6,5	230	15	2,10
2"	50	211,80	157,60	2	62	17,5	60,3	52,48	25,7	136	OT.70	250	107	86	24	16,5	16	10	50	6,5	265	15	3,20
2 1/2"	65	465,40	264,20	1	76,5	20	73	62,68	30,2	153	Ø90	321	126	103	28	18	20	14	70	M8	540	15	8,15
3"	80	667,60	376,00	1	89,5	20	88,9	77,92	33,3	180	Ø105	321	137	114	28	18	20	14	70	M8	873	15	12,80
4"	100	1.105,00	611,40	1	115	20	114,3	102,26	39,3	217	Ø130	381	156	137	34,5	22	24	18	102	M10	1390	15	21,50






serie **RADIAMONT**

-  Valvola a sfera in tre pezzi, con tenuta integrale avvolgente, a passaggio totale da 1/4" a 4".
-  Three piece ball valve with integral seats, full bore from 1/4" to 4".
-  Vanne à sphère trois pièces, sphère entièrement enveloppe en PTFE passage intégral du 1/4" au 4".
-  Dreiteiliger Kugelhahn mit PTFE Vollschale hohlraumfrei mit vollem Durchgang von 1/4" bis 4".
-  Válvula de bola en tres piezas con asientos integrales envolventes, de paso total desde 1/4" a 4".






POS.	DENOMINAZIONE	PART NAME	DESCRIPTION	TEILBENENNUNG	DENOMINACION	MATERIALE-MATERIALS MATERIAUX-WERKSTOFF- MATERIAL	N°P
1	GUARNIZIONE SFERA	BALL SEAT	JOINT DE TENUE BILLE	KUGELDICHTUNG	ASIENTO ESFERA	P.T.F.E.	1
2	GUARNIZIONE SFERA	BALL SEAT	JOINT DE TENUE BILLE	KUGELDICHTUNG	ASIENTO ESFERA	P.T.F.E.	1

MISURE	1/4" DN8	3/8" DN10	1/2" DN15	3/4" DN20	1" DN25	1"1/4 DN32	1"1/2 DN40	2" DN50	2"1/2 DN65	3" DN80	4" DN100
€	41,20	41,80	49,60	53,20	65,60	75,80	106,80	157,60	196,80	319,40	627,40

* DA SOMMARE AL PREZZO BASE DELLA VALVOLA
 * AMOUNTS TO BE ADDED TO THE BASE PRICE OF THE VALVES
 * MONTANT À SOMMER AU PRIX DE LA VANNE
 * ZUM KUGELHAHNGRUNDPREIS HINZUZURECHNEN
 * AGREGAR AL PRECIO BASE DE LA VALVULA








Art. 710000 – 711000 – 712000

-  Disponibile anche nelle opzioni
-  Option available
-  Disponible aussi dans les options
-  Verfügbare optionen
-  Disponible tambien en las opciones

ART.	DENOMINAZIONE	PART NAME	DESCRIPTION	TEILBENENNUNG	DENOMINACION
710001	F/F NPT B.1.20.1	F/F NPT B.1.20.1	F/F NPT B.1.20.1	F/F NPT B.1.20.1	F/F NPT B.1.20.1
710009	F/F Gas T.I.A. inox	F/F Gas T.I.A. stainless steel	F/F Gas T.I.A. acier inox	F/F Gas T.I.A. Edelstahl	F/F Gas T.I.A. inox
710010	SW TIA inox	SW TIA stainless steel	SW TIA acier inox	SW TIA Edelstahl	SW TIA inox
710011	BW TIA inox	BW TIA stainless steel	BW TIA acier inox	BW TIA Edelstahl	BW TIA inox
710168	F/F Gas Antistatic Device	F/F Gas Antistatic Device	F/F Gas Antistatic Device	F/F Gas Antistatic Device	F/F Gas Antistatic Device



Art. 713000 – 714000 – 715000

-  Disponibile anche nelle opzioni
-  Option available
-  Disponible aussi dans les options
-  Verfügbare optionen
-  Disponible tambien en las opciones

ART.	DENOMINAZIONE	PART NAME	DESCRIPTION	TEILBENENNUNG	DENOMINACION
710003	F/F NPT B.1.20.1	F/F NPT B.1.20.1	F/F NPT B.1.20.1	F/F NPT B.1.20.1	F/F NPT B.1.20.1
710012	F/F Gas T.I.A. acciaio al carbonio	F/F Gas T.I.A. carbon steel	F/F Gas T.I.A. acier au carbon	F/F Gas T.I.A. Stahl	F/F Gas T.I.A. acero carbono
710084	SW TIA acciaio al carbonio	SW TIA carbon steel	SW TIA acier au carbon	SW TIA Stahl	SW TIA acero carbono
710087	BW TIA acciaio al carbonio	BW TIA carbon steel	BW TIA acier au carbon	BW TIA Stahl	BW TIA acero carbono
710148	F/F Gas Antistatic Device	F/F Gas Antistatic Device	F/F Gas Antistatic Device	F/F Gas Antistatic Device	F/F Gas Antistatic Device